



Activity patterns in CA3/dentate gyrus diverge when spatial routes were most similar

Wanjia Guo¹, Subin Han², Brice Kuhl¹

^{1.} Psychology Dept., Univ. of Oregon, Eugene, OR; ^{2.} Dept. of Psychology, Univ. of Virginia




Memory Interference occurs when two memories are similar to each other^{1,2}. "Repulsion" of hippocampal activity patterns (lower fMRI pattern similarity for overlapping events vs. non-overlapping events) is associated with reduced memory interference^{3,4,5,6,7,8}.

Why does repulsion occur?

Stimuli different similar same 100 pictures per route Window 2 pairs of routes per participant. Procedure Associative PostTest Scan Exposure Test Pole Window (75% valid) Entrance Sure ROIs CA23DG and CA1 **PPA** N = 40Siemens 3T Prisma **T1:** 1mm isotropic **T2:** 0.43 * 0.43 * 1.8mm 1.7mm isotropic Repetition Time = 1s Echo Time = 33ms 10 EPI runs **Preprocessing:** fMRIprep 21.0.1


Subfield segmentation:




Similarity Score = (within pair - across pair fMRI similarity)

Pattern similarity in CA23DG is low when the overlap is high


In CA23DG, distinct beliefs lead to repulsion effects even with identical visual input **Expect Different Routes** expect different — expect same



Insight related change



Repulsion is consistent across rounds at Mol in CA23DG Effect of cues is only present for early rounds



Hippocampus (specifically CA23DG) shows repulsion effects (lower similarity for overlapping vs. non-overlapping routes), but only when routes are most similar.

 disappears/reverses once routes are more distinct or after moment of insight.

CA23DG "flips" representational structure of visual regions including PPA and EVC.

CA23DG repulsion is influenced by probabilistic cues.

 indicates that repulsion occurs when perceptual input is similar/ambiguous, but beliefs are distinct9.

References

[1] Colgin, L. L., Moser, E. I., & Moser, M. B. (2008). Trends Neurosci. [2] Yassa, M. A., & Stark, C. E. (2011). Trends Neurosci. [3] Hulbert, J. C., & Norman, K. A. (2014). Cereb. Cortex. [4] Kim, G., Norman, K. A., Turk-Browne, N. B. (2017) J Neurosci. [5] Favila, S. E., Chanales, A. J., & Kuhl, B. A. (2016). Nat. Commun. [6] Chanales, A. J., Oza, A., Favila, S. E., & Kuhl, B. A. (2017). Curr Biol. [7] Molitor, R. J., Sherrill, K. R., Morton, N. W., Miller, A. A., & Preston, A. R. (2021). J. Neurosci. [8] Wanjia, G., Favila, S. E., Kim, G., Molitor, R. J., & Kuhl, B. A. (2021). Nat. commun. [9] Sanders, H., Wilson, M. A., & Gershman, S. J. (2020). Elife.

Acknowledgement: This research was supported by NIH-NINDS 2R01 NS089729 to B.A.K and F31NS126016 to W.G.